

EC TYPE-EXAMINATION CERTIFICATE: 2155

Product description: -

Personal Eye Protection

Product identification: -

3M OX Series Safety Spectacles

Manufacturer: -

3M United Kingdom PLC
3M Centre
Bracknell
Berkshire
RG12 8HT
United Kingdom

When assessed and examined against harmonised standard EN166:2001 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Signed

Date: 9th February 2011

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

For terms and conditions of issue, see page 2

certificate invalid
if not embossed

Terms and Conditions

Reference Documents: -

- | | | | |
|------|--------------------------|---|--|
| i) | Test Reports | - | 1.10.12.78 |
| ii) | Technical File | - | TF2155
3M file TF0241 refers |
| iii) | Test and Inspection Plan | - | SOP-128018 , contained in 3M file TF0241 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Pages 1 – 4	Valid	110210	Initial issue



CERTIFICATION SCHEDULE

Model: OX-1000 or OX-2000 or OX-3000

Lenses	Scale	Impact	Optical Class	Options
Clear	2C-1.2	FT	1	--

In addition to the products referenced on this certificate, the standard industrial product may also be sold as market specific packaged variants.

Such variants will be differentiated and the Technical File will be updated with the appropriate information