

Product Datasheet model ultravision 9301 813



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	* Anatomical shape and soft material allow close,yet comfortable fit * Fits comfortably over most prescription spectacles * Nose bridge works well with respirators * Frosted top to reduce glare * High-quality, easily adjustable headband * Optically correct lens (EN 166 class 1) does not distort view or cause headaches * 2 tear-off films included * Simple lens replacement reduces cost
Technical details Frame Material Features Colour	Front piece PVC ventilation system transparent light grey

Material	Headband
Features	synthetic headband
Colour	adjustable
	anthracite-lime
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid)
	4 (large dust particles)
	9 (molten metal and hot solids)
Low-energy impact	B (120 m/s)
No. of certificat. body	0196
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,2 mm
Coating	supravision excellence
Colour	clear
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous	
Weight	125 g
Packing	90 pieces in one carton
Standards	DIN EN 166 + DIN EN 170