uvex	SAFETY EYEWEAR	14.07.2016 SBU-E-PGM-PM

Product Datasheet model i-works 9194.171

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product characteristics	- Athletic and masculine design - Perfect protection due to a unique fit - Temple ends with a cut-out for an eyewear cord - UV 400
Technical details	
Frame	
	Front piece
Material	TPU
Colour	anthracite
	Temples
Material	TPU/TPE
Colour	anthracite-blue

	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision excellence
Colour	clear
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous	
Weight	28 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170