
EC TYPE-EXAMINATION CERTIFICATE: 2424

Product description: - **Personal Eye Protection - visors and face shields.**

Product identification: - **See schedule**



Manufacturer: - **Honeywell Safety Products Slovakia Sro**
Nitrianska cesta 503/60
958 01 Partizanske
Slovak Republic

When assessed and examined against standards BS2092:1989, EN166:1995 and EN166:2001are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Signed **Date: 18th February 2013**

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 15th October 2017, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 15th October 2012

certificate invalid
if not embossed

For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

i)	Test Reports	-	95.09.28/29/30, 00.09.14, 95.09.31, 96.02.29, 00.09.15, 95.09.33/34/35, 95.09.42, 96.02.30, 95.11.28, 95.11.40, 03.01.21/22, 03.06.09, 03.06.10, 1.12.09.02/03/04/05 DIN: 10631-IFAA-00, 67519-PTB-98 and 0248-PZA-12
ii)	Technical File	-	INSPEC Ref TF0516, TF0519, TF0683, TF1126 and TF2424
iii)	Test and Inspection Plan	-	S-QD-120, issue 1, 19.09.2012

Conditions attached to the issue of this certificate:

i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.

ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.

iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.

iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.

v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.

vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

http://inspec-international.com/ToB.pdf

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Pages 1 - 4	Withdrawn	121015	Initial issue
Pages 1 - 5	Withdrawn	121112	Addition of Prisma face shield Shade 3 Perfo Nova and Perfo B visor added
Pages 1 - 5	Valid	130218	Addition of chin guards and cross reference to TF/0683

CERTIFICATION SCHEDULE

Browguards:

Polypropylene (RP1316/1) and Polyamide (RP1316/2) fitted with:

Visor Material	Tint	Std.	Impact Grade	Optical Class
Polycarbonate (RP1388/55)	Clear	EN166:2001	F	1
Propionate (RP1318/15)	Scale 3-1.2	EN166:2001	F	1

(Propionate visor complies with anti-fogging option)

Faceshields:

Model	Visor Material	Tint	Std.	Impact Grade	Optical Class
Perforama Nova	Polycarbonate	Clear	EN166:95	B	1
	"	Shade 2	BS2092	2092.1	-
	"	Shade 4	BS2092	2092.1	-
	Molten Metal & Hot Solids (9)				
	Acetate	Clear	EN166:95	F	1
Perfo Nova	Polycarbonate	Clear	EN166:95	B	1
	"	Shade 2	BS2092	2092.1	-
	"	Shade 4	BS2092	2092.1	-
	"	Shade 3	EN169 / EN166	F	-
	Molten Metal and Hot Solids (9)				
	Acetate	Clear	EN166:95	F	1
Perfo B	Polycarbonate	Clear	EN166	F	2
	"	Shade 2	BS2092	2092.1	-
	"	Shade 4	BS2092	2092.1	-
	"	Shade 3	EN169 / EN166	F	-
	Acetate	Clear	EN166	F	2

NOTE: For use with helmet models A69 / A79

Available accessories:-

Helmet Mounted Carrier - Combi-Safe Impact Grade: F / for use with helmet models A69 and A79

Cellulose Proprionate Faceshield for use with Perforama Nova And Performa Nova Combi North
Perfo Nova and Perfo Nova Combi North
Perfo B

Performance of Faceshield 1 F N, Scale number 3-1.2 **Test Report** INSPEC 03.06.09

Chin guards for use with the Perforama North Combi and Perfo Nova Combi

520 150M / 520 155M / 520 140M / 520 145.6M / 520 146M / 520 440.5M (all chin guards HSP / F)

F= high speed particles / low energy - B = high speed particles / medium energy.

Model	Visor Material	Optical Class	Impact Grade	Field of Use	Standard
Prisma	Acetate	1	S	3	EN166:1995
	Polycarbonate	1	S	3	EN166:1995
	Pet G	1	S	3	EN166:1995

S = Increased robustness 3 = Protection against droplets and splashes of liquids