# COLLABORATIVE REAL ESTATE

K

KAREN E. WILLISON, RLP LOCATIONS NORTH BROKERAGE



# **Listing Information Package**

# 20 Trails End, Collingwood




KAREN E. WILLISON Sales Representative 705-888-0075 | kwillison@royallepage.ca



LOCATIONS **NORTH** 








# CollaborativeRealEstate.ca











2 + 1 Bath



# COLLABORATIVE REAL ESTATE

KAREN E. WILLISON, RLP LOCATIONS NORTH BROKERAGE

# Quick Facts 20 Trails End, Collingwood

- Single floor living Bright spacious interior with plenty of overflow room for family & entertaining
- Minutes to Blue Mountain and the Village at Blue, minutes to the shops, restaurants and theatres of Collingwood yet quiet without being in the center of the hustle & bustle
- Located in an established enclave surrounded by mature trees
- Southern exposure back deck & low maintenance yard
- Generator to power the essentials in a power outage
- 6 bedrooms and 3 full baths
- Meticulously maintained with upgrades throughout including professionally refinished floors & new windows
- High tech 2 car garage with EV charging station and security cameras for all of your deliveries
- Partial ownership of a 6 acre protected wooded area with trails and the Silver Creek

# E.

KAREN E. WILLISON WORKING TOGETHER & HELPING YOU IS WHAT WE DO kwillison@royallepage.ca Cell: (705) 888-0075

www.CollaborativeRealEstate.ca

# 20 TRAILS End, Collingwood, Ontario L9Y 5B1

# Client Full Active / Residential

#### 20 TRAILS En Collingwood

Listing ID: 40518634 Price: \$2,298,000



#### Simcoe County/Collingwood/CW01-Collingwood

Bungalow,	House				
	Beds	Baths	Kitch		
Lower	3	1		Beds (AG+BG):	<b>6</b> ( <b>3</b> + <b>3</b> )
Main	3	2	1	Baths (F+H): SF Fin Total:	3 (3 + 0) 3,970
				AG Fin Iotal: AG Fin SF Range: AG Fin SF: BG Fin SF: DOM: Common Interest: Tax Amt/Yr:	2001 to 3000 2,028/Other 1,942/Other 34 Freehold/None \$7,788.26/2023

#### **Remarks/Directions**

Public Rmks: This beautiful custom bungalow is in an established enclave with mature trees, so close to everything but still relaxed and quiet. Meticulously maintained by its owners, the stucco home is in pristine condition. New stylish black windows let in loads of light and allows the 2,000+ square foot main floor to bathe in the southern exposure of the large backyard. You can't get more neat and tidy than this -- everything is freshly painted, all light fixtures and wall sconces are updated, the wood floors have been professionally finished and electric blinds make the enormous main floor windows a delight. Bathrooms have been renovated to feel fresh and stylish. A cute covered front porch with a stone portico leads into the entranceway and the great room beyond. Soaring ceilings make it seem even more inviting and spacious. Inviting guests here will certainly be a pleasure, with a dining area where a table could easily expand and contract as the occasion calls for. Welcome family and friends knowing there are three bedrooms on the main floor and three more on the expansive lower level. Cooking for one or a crowd will certainly be a pleasure in this airy space with a practical slate floor and upgraded appliances. The list of this home's advantages is long but includes an irrigation system, oversized garage with electric car chargers, huge closets in all rooms, generator, humidifier, as well as shared ownership of six-acres of protected wooded area with community trails to enjoy the Silver Creek. This is what pride of ownership looks like.

Directions: From Collingwood - West on Mountain Road to Grey Road 19, turn left, left on Trails End to sign on right. Cross St: Grey Road 19

Frank and a set

		E	xterior		
Exterior Feat:	Deck(s), Landscap	ed, Porch, Recreatio	nal Area		
Construct. Material:	Stone, Stucco (Pla	ster)		Roof:	Asphalt Shingle
Shingles Replaced:	2018	Foundation:	Poured Concrete	Prop Attached:	Detached
Year/Desc/Source:	2002/Owner/Own	er		Apx Age:	16-30 Years
Property Access:	Municipal Road, Pa	aved Road, Year Rou	nd Road	Rd Acc Fee:	
Other Structures:	Shed	-		Winterized:	Fully Winterized
Garage & Parking:	Attached Garage//	Private Drive Double	Wide//Interlock		-
Parking Spaces:	8	Driveway Spaces:	6.0	Garage Spaces:	2.0
Services:	Cable TV Available	, Cell Service, Electr	icity, Garbage/Sanita	ry Collection, High	Speed Internet Avail,
	Natural Gas, Recy	ling Pickup, Telepho	one Available		•
			Iron/Mineral Filter	·,	
Water Source:	Drilled Well	Water Tmnt:	UV System, Water	Sewer:	Septic Approved
			Softener		
Well Cap Gall/Min:	10	Well Depth Ft:	64		
Lot Size Area/Units:	/	Acres Range:	< 0.5	Acres Rent:	
Lot Front (Ft):	95.00	Lot Depth (Ft):	207.00	Lot Shape:	Rectangular
Location:	Urban	Lot Irregularities:	As Per	Land Lse Fee:	_
			GeoWarehouse		
Area Influences:	Airport, Ample Pa	king, Beach, Golf, G	reenbelt/Conservatio	n, Hospital, Library	, Marina, Place of
	Worship, School B	us Route, Schools, S	hopping Nearby, Skiir	ng, Trails	
View:	Mountains, Trees/	Woods		Retire Com:	
Topography:	Flat, Open space			Fronting On:	South
Restrictions:				Exposure:	North
School District:	Simcoe County Dis	trict School Board, S	Simcoe Muskoka Catho	olic District School	Board
High School:	CCI, Our Lady of the Bay				
Elementary School:	Admiral, St. Mary's	s, Pretty River Acade	emy		
		I	nterior		
Interior Feat: Auto	- Carage Door Pomo	te(c) Central Vacuu	m, ERV/HRV, Generat	tor-Partial Sumn C	ump Water Heater
	ed, Water Softener		m, ERV/ HRV, General	ioi-raitiai, Sullip r	amp, water neater
			). Monitored. Smoke D	)etector(s)	

Security Feat: Alarm System, Carbon Monoxide Detector(s), Monitored, Smoke Detector(s)

G		EN E. WILLISON ING TOGETHER & HELPING YO	UIS WHAT WE DO	
A		on@royallepage.ca	ono mon me bo	
lala		05) 888-0075		
	a	collaborativeRealEstate.ca		
Basement:	Full Baseme		Fin: Fully Finished	
Laundry Feat: Cooling:	Main Level, Central Air	Sink		
Heating:		as, Forced Air, Gas		
Fireplace:		om, Natural Gas		FP Stove Op: Yes
Inclusions:			c, Dishwasher, Dryer, Garag Smoke Detector, Stove, Wa	ge Door Opener, Hot Water Tank Owned, Sher, Window Coverings
Add Inclusions:	Rec Room: I	Dufferin Pool Table w/Tabl	e Tennis Top, High Top Tabl	e w/Two Chairs and Panasonic Theater
	Sound Syste Mounted Sp		/ Charging Station Nema 14	-50 50amp, Living Room: 2 Paradigm Wa
	Tesla Wall C	Connector (negotiable sepa		
Furnace Age:	2010	Tank Age:	2018	UFFI:
		Pr	operty Information	
Common Elem F		CEC E1M207- 17 17 DI E11		I Improvements Fee:
_egal Desc: Zoning:	PCL 17-1 9 R1	5EC 51M397; LT 17 PL 51M	397 NOTTAWASAGA; COLLI Surv	
Assess Val/Year:		2022		Over Days: <b>120</b>
PIN:	58254015	2		ipant Type: <b>Owner</b>
ROLL: Possession/Date	43310800	1213436	Depo	osit: Minimum 5%
ossession/Date	. Flexible/	Bro	okerage Information	
List Date:	12/21/2		Keruge information	
List Brokerage:			ingwood Unit B) Brokerage	
	Ē			-
Source Board: Th	ne Lakelands A	ssociation of REALTORS®		
Prepared By: Kar		, Salesperson		I reliable but not guaranteed * CoreLogic Matrix
Date Prepared: 0	1/24/2024		POWERED by itsoreal	estate.ca. All rights reserved.
isting ID: 4	0518634			
Room	<u>Level</u> Main	<u>Dimensions</u> 9' 8" X 5' 5"	<u>Dimensions (Metric)</u> 2.95 X 1.65	
oyer	Main	98 8 3 3	2.95 × 1.65	Beamed ceiling, Stone floor, Vaulted Ceiling
Kitchen	Main	17' 9" X 15' 1"	5.41 X 4.60	Beamed ceiling, Double sink, Open
				Concept, Stone floor, Vaulted
	Main			Ceiling Reserved esiling French doors
Dining Room	Main	14' 10" X 15' 11"	4.52 X 4.85	Beamed ceiling, French doors, Hardwood floor, Open Concept,
				Walkout to Balcony/Deck
Living Room	Main	16' 0" X 15' 11"	4.88 X 4.85	Beamed ceiling, Fireplace,
				Hardwood floor, Open Concept,
Bedroom Prima	arv Main	19' 4" X 18' 11"	5,89 X 5,77	Vaulted Ceiling Ensuite, Hardwood floor, Walk-in
	ary malli	17 4 7 10 11	5,65 \ 5,77	Closet
Primary Ensuit	e Main	10' 3" X 11' 7"	3.12 X 3.53	5+ Piece, Tile Floors
Bathroom				
Bedroom	Main	13' 4" X 11' 10"	4.06 X 3.61	Broadloom
Bedroom Desc: Office/Be	Main	13' 3" X 11' 5"	4.04 X 3.48	Broadloom
Bathroom	Main	7' 8" X 8' 1"	2.34 X 2.46	4-Piece, Linen closet, Tile Floors
aundry	Main	7 8 X 8 1 13' 3" X 6' 11"	2.34 X 2.46 4.04 X 2.11	Tile Floors
launury Recreation Roo		29' 9" X 27' 0"	9.07 X 8.23	Broadloom, Wainscoting
Sedroom	Lower	16' 11" X 18' 3"	5.16 X 5.56	Broadloom
		g Studio/Bedroom		
Bedroom	Lower	14' 8" X 11' 10"	4.47 X 3.61	Broadloom
Bedroom	Lower	14' 5" X 14' 8"	4.39 X 4.47	Broadloom
Bathroom	Lower	14' 8" X 5' 11"	4.47 X 1.80	4-Piece, Linen closet, Tile Floors
Jtility Room	Lower	14' 8" X 11' 9"	4.47 X 3.58	
Cold Room	Lower	6' 1" X 11' 7"	1.85 X 3.53	

Cold RoomLower6' 1" X 11' 7"1.85 X 3.53Protected by copyright. All use of MLS® System data is at your own risk. Information is deemed reliable but Information Technology Systems Ontario makes no<br/>warranties or representations regarding the MLS® System data.1.85 X 3.53



# Expense/Utility/House Details

## 20 Trails End, Collingwood

House Details		
Item	Year	Notes
Year Home was Built	2002	Custom Built
Air Conditioner	2023	Carrier
Air Exchanger	2002	LifeBreath (fully ducted)
Windows & Exterior Doors	2022	Euro Windows Ostaco Patio Door
Roof	2018	BP Cobalt Black Everest (30 yr)
Furnace	2010	Carrier (58MVC080 DC Driven)
Hot Water Tank	2018	John Wood Power Vented 50 Gallon NG - Commercial Grade

#### Fees and Utility Costs

Utility	Yearly Cost	Provider
Current Property Taxes	\$7,788.26	The Town of Collingwood
Insurance Premium	\$1,859.00	Intact Insurance
Gas	\$1,192.59	Enbridge
Hydro	\$1,998.02	Epcor
Well	\$297.13	The Water Store
Septic Services	\$1,017.00	Ardiel Septic Services
Internet/Cable Provider		Rogers
Lawn/Garden Maintenance	\$1,007.37	Eagles Weed Control & Lawn Services

#### Appliances

Appliance	Make/Model	Year/Notes
Refrigerator	Brigade / VCFF23655003	
Dishwasher	Miele / G6105U	
Stove/Oven	Brigade / CRVER330SB55	
Microwave	Panasonic / NN-SD67AS	
Washer	Whirlpool / WFW87HEDCO	
Dryer	Whirlpool / YWED87HEDCO	

## Additions/Upgrades


Item	Year	Details/Notes
Alarm System	2022 / Monitoring \$45.00/mth	Huronia Alarm & Fire Security Inc.
Carrier Generator	100 Amp / \$231.65 Annual Service	Model: ASPBSICCA010 Serviced by the Generator Guys
Kanata Garage Doors	2023	<sup>3</sup> ⁄ <sub>4</sub> HP Belt Driven, Battery Backup, Wifi Compatible with Cameras

#### Additional Notes:

Heat-N-Go Gas Fireplace Model: SL-750TRSC
Generator Powers: • Water pump for the well • Garage plugs • Furnace • Water softener • Sump pump • Sterilight UV light • Mechanical room light • Microwave • Fridge • Primary bedroom and ensuite
Pre-wired for future hot tub
Irrigation system

# 20 Trails End, Collingwood, ON

Main Building: Total Exterior Area Above Grade 2028.24 sq ft





# 20 Trails End, Collingwood, ON

Main Floor Exterior Area 2028.24 sq ft Interior Area 1882.06 sq ft Excluded Area 555.53 sq ft






PREPARED: 2023/08/22



# 20 Trails End, Collingwood, ON



White regions are excluded from total floor area in iGUIDE floor plans. All room dimensions and floor areas must be considered approximate and are subject to independent verification.

0

⊡iGUIDE

### **Property Details**

#### **Room Measurements**

Only major rooms are listed. Some listed rooms may be excluded from total interior floor area (e.g. garage). Room dimensions are largest length and width; parts of room may be smaller. Room area is not always equal to product of length and width.

#### **Main Building**

MAIN FLOOR 4pc Bath: 7'8" x 8'1" | 54 sq ft 5pc Ensuite: 10'3" x 11'7" | 109 sq ft Bedroom: 13'4" x 11'10" | 139 sq ft Dining: 14'10" x 15'11" | 199 sq ft Foyer: 9'8" x 5'5" | 53 sq ft Garage: 21'8" x 23'3" | 502 sq ft Kitchen: 17'9" x 15'1" | 240 sq ft Laundry: 13'3" x 6'11" | 77 sq ft Living: 16' x 15'11" | 255 sq ft Office / Bedroom: 13'3" x 11'5" | 135 sq ft Primary: 19'4" x 18'11" | 284 sq ft Wic: 5'1" x 9'10" | 49 sq ft

#### LOWER LEVEL

4pc Bath: 14'8" x 5'11" | 77 sq ft Bedroom: 14'8" x 11'10" | 161 sq ft Bedroom: 14'5" x 14'8" | 155 sq ft Cold Room: 6'1" x 11'7" | 68 sq ft Rec Room: 29'9" x 27' | 710 sq ft Soundproof Recording Studio/bedroom: 16'11" x 18'3" | 270 sq ft Utility: 14'8" x 11'9" | 172 sq ft

#### Floor Area Information

Floor areas include footprint area of interior walls. All displayed floor areas are rounded to two decimal places. Total area is computed before rounding and may not equal to sum of displayed floor areas.

#### **Main Building**

MAIN FLOOR Interior Area: 1882.06 sq ft Excluded Area: 555.53 sq ft Perimeter Wall Thickness: 9.0 in Exterior Area: 2028.24 sq ft

LOWER LEVEL (Below Grade) Interior Area: 1793.57 sq ft Excluded Area: 67.63 sq ft Perimeter Wall Thickness: 9.0 in Exterior Area: 1941.54 sq ft

#### Total Above Grade Floor Area, Main Building

Interior Area: 1882.06 sq ft Excluded Area: 555.53 sq ft Exterior Area: 2028.24 sq ft



#### iGUIDE Method of Measurement

#### Definitions

Interior Area is a per floor calculation, made by measuring to the inside surface of the exterior walls. The footprint of all interior walls and staircases is typically included.

**Excluded Area** is a sum of the area of all rooms (measured to the inside surface of room walls) that are excluded from the Interior Area for a floor and the footprint of corresponding walls. Prescribed area exclusions can vary from region to region. Examples of exclusions are spaces open to below, garages, cold cellars, crawl and reduced height spaces.

Exterior Wall Footprint is the sum of the estimated area of the perimeter wall segments bounding both Interior and Excluded Areas.

Exterior Area is a per floor calculation, made by measuring to the outside surface of the exterior walls and is represented by the sum of the Interior Area and the Exterior Wall Footprint.

Grade is the ground level at the perimeter of the exterior finished surface of a house. A floor is considered to be above grade if its floor level is everywhere above grade.

Total Interior Area is the sum of all Interior Areas.

Total Excluded Area is the sum of all Excluded Areas.

Total Exterior Area is the sum of all Exterior Areas.

**Finished Area** is a per floor calculation made by adding all enclosed areas in a house that are suitable for year-round use based upon their location, embodying walls, floors, and ceilings and which are similar to the rest of the house. Footprint of walls is attributed to finished area only when the walls are bounding finished areas.

**Unfinished Area** is a per floor calculation made by adding all enclosed areas that do not meet the criteria for Finished Area. Exceptions are outdoor and non-walkable areas, for example porches or areas open to below. Footprint of walls is attributed to unfinished area only when the walls are exclusively bounding unfinished areas.

#### Notes

For exterior walls that are adjacent to the outside of the property, where typically only the interior side has measurement data, an estimation of the exterior wall thickness (as directly measured at the property) is used to calculate its footprint. Considerations are not made for varying wall thickness along the perimeter.

#### Disclaimer

All dimensions and floor areas must be considered approximate and are subject to independent verification.

#### **PDF Floor Plans**

A. RECA RMS 2017: Color is used to indicate all included areas. Excluded and not reported areas are shown in white. Walls are always shown in black.

B. ANSI Z765 2021: Color is used to indicate all finished areas. Unfinished and not reported areas are shown in white. Walls are always shown in black.

#### More Information About the Standards

A. RECA RMS 2017: https://www.reca.ca/licensees-learners/tools-resources/residential-measurement-standard

B. ANSI Z765 2021: https://www.homeinnovation.com/z765





## 6+ Acres Shared Common Lands

## **Property Details**

PIN:	582540172
Land Registry Office:	SIMCOE (51)
Land Registry Status:	Active
Registration Type:	Certified (Land Titles)
Ownership Type:	Freehold





## Lot Size

Area:	277644.04 sq.ft
Perimeter:	5554.46 ft
Measurements:	160.68ft x 172.79ft x 146.81ft x 240.85ft x 213.69ft x 347.3ft x 106.04ft x 52.1ft x 483.31ft x 32.59ft x 316.0ft x 49.74ft x 124.79ft x 157.19ft x 130.97ft x 199.34ft x 31.43ft x 60.23ft x 73.66ft x 37.16ft x 178.56ft x 13.13ft x 211.57ft x 22.08ft x 215.29ft x 13.01ft x 224.87ft x 73.27ft x 73.23ft x 49.41ft x 18.3ft x 131.23ft x 67.92ft x 78.66ft x 101.71ft x 73.65ft x 164.92ft x 174.9ft x 16.56ft x 198.94ft x 318.93ft
	Lot Measurement Accuracy : LOW

These lot boundaries may have been adjusted to fit within the overall parcel fabric and should only be considered to be estimates.



## **Assessment Information**

#### ARN

433108001213421

Taxation Y 2023 2022 2021 2020	ear		Previous Assessment N/A Phased-In Assessment \$0 \$0 \$0
Frontage:	N/A	Description:	Common land
Depth:	N/A	Property Code:	140
Based On: January 1, 2016 Current Assess		Current Assessme	ent:\$0



#### **Enhanced Site & Structure**


Structures:

#### Assessment Roll Legal Description: PLAN M397 BLK 36

Property Address:	TRAILS END COLLINGWOOD ON L9Y
Zoning:	SR
Property Type:	RESIDENTIAL
Site Area:	6.37A
Site Variance:	Irregular
Driveway Type:	Unspecified/Not Applicable
Garage Type:	N/A
Garage Spaces:	N/A
Water Service Type:	None Available
Sanitation Type:	None
Pool:	Indoor : N/A, Outdoor : N/A
RRF ApealDate:	2023-03-31
Abut Details:	N/A
Onsite Details:	ZONED FOR MULTIPLE USE
Proximity Details:	N/A
Waterfront Details:	N/A
Last Property Assessment Notice	2022-11-02

#### **Residential Property Tax Details**

Year	Tax Estimate
2021	\$0
2022	\$0





# The Town of Collingwood Box 157 97 Hurontario Street

Collingwood, ON L9Y 3Z5

TAX	NO	TIC	E
-----	----	-----	---

Final Mailing Date

2023 June 29, 2023

Class Value Class/Educ. Support Tax Rate(%) Amount Tax Rate(%) Amount Tax Rate(%)	
20 TRAILS END COLLINGWOOD, ON L9Y 5B1   Assessment  Class  Value  Class/Educ. Support  Tax Rate(%)  Amount  Tax Rate(%)  Amount  Tax Rate(%)  Class/Educ. Support  Tax Rate(%)  Class/Educ. Support  Class/Educ. Support	18 2 S -
COLLINGWOOD, ON L9Y 5B1  Assessment Municipal Levy County Levy Educa  Class Value Class/Educ. Support Tax Rate(%) Amount Tax Rate(%) Amount Tax Rate(%)	
Class Value Class/Educ. Support Tax Rate(%) Amount Tax Rate(%) Amount Tax Rate(%)	
	tion Levy
RTEP \$ 657 000.00 Rec/Farm Ty Full EDubCing	(%) Amount
RTEP         \$ 657,000.00         Res/Farm Tx:Full - EPubSup         0.00737631         \$ 4,846.24         0.00288800         \$ 1,897.42         0.0015300           RTEP         \$ 657,000.00         Special Capital Levy         0.00005995         \$ 39.39         1         1,897.42         0.0015300	\$ 1,005.21
Sub Totals >>> Municipal Levy \$ 4,885.63 County Levy \$ 1,897.42 Education Levy	\$ 1,005.21
Special Charges         Exp         Installments           By Law #         Description         Amt         Year         Due Date         Amount         Summary	
8/18/2023     \$ 1,995.44     Sub-Total - Tax Levy       10/20/2023     \$ 1,995.00     Special Charges/Credits       2023 Tax Cap Adjustment     Final 2023 Levies       Less Interim Tax Notice     Past Due Taxes/Credit       Total Special Charges     \$ 0.00	\$ 7,788.28 \$ 0.00 \$ 7,788.26 \$ 3,797.82 \$ 0,00 \$ 3,990.44

PLEASE	DETACH AND SUBMIT WITH PAYMENT	THANK YOU	PLEASE D	DETACH AND SUBMIT WITH PAYMENT
Receive	d from:		Received	I from:
Roll # Name	4331- 080-012-13436-0000		Roll # Name	4331- 080-012-13436-0000
Address	20 TRAILS END		Address	20 TRAILS END
1 Pasterone	COLLINGWOOD, ON L9Y 5B1		2.2.5.0203(5)(5)	COLLINGWOOD, ON L9Y 5B1
Due Da	te	Total Due	Due Da	te
October	20, 2023	\$ 1,995.00	August	18, 2023

Roll # Name	4331- 080-012-13436-0000	
	20 TRAILS END	
Address	COLLINGWOOD, ON LEY 5B1	
Due Da	ate	Total Due
August	18, 2023	\$ 1,995.44

THANK YOU

1346:

# 

🗑 Ontario	Ministry of the			The		Water Re R WELL		
Print only in spaces provide Mark correct box with a che		ble. [11]	57	36656	PLAI 570	(5/M- 08 <u>con</u>	39	<u>ېليان</u>
County or District		Tawnship/Borough/City	Town/Village	4	Con thork	, tract survey, e	rtc. Le	7 4
5////01	-	Address	n/ 6~ . . L		90	Date completed	8 0	202
2.	U , ,		ow	HC Elevation RC	Basin Code		ay r "	nonith year
<u>21</u>		بد المعالية المعالية FOVERBURDEN AND BEDR						<u> </u>
General colour Most	common material	Other materials			description	· .  -	Dept From	h-feet To
BROWN SAN	Ŋ	GRAVEL STO	NES				0	8
GREY LLA	4	STONES	÷	STONE	1. CLA	M	8	23
GREY CLI	47	· ····		HARD + SO	F1 / AJ		3	34
GREY LLA	ý –	SAND GRAVE	2	LEMENTE	D PAR		3	58
BROWN SAI	he			CLEAN U			-0	
				BEARING	<u>SA</u> n	ן מי	58	64
				LOURSE				
								+
				<b>—</b> " ·				
31			.J   .L .L i		. 1. .			
						45 1-13 Diameter 34		<u></u>
41 WATER RECOR Water found at _ feet Kind of a	Insde	CASING & OPEN HOLE Waterial Waterias	Depth	- feet		Diameter 34		7 teet
10.12   Fresh 3 [	I Sulphur 14 Inches Monerais	1 Sleel 12	From	· · · · · · · · · · · · · · · · · · ·				Of screen 10 41-44
15 12   D Fresh 2 C	Gaa Sulphur 18 Muneralia	Cancrete Galvanized Galvani	$H/_2$	58 5TAL	NLESS .		<u>، در</u>	feet
2022 ↓ □ Fresh 3 [	1 Gas 17/10 1 Sulphur 24	S ∐ Shashuc		20-20	Annular space	& SEALING RI	ECORI: Abandonn	
z □ \$e#y 6 □	] Menierale ] Gas ] Sulphur 29	.t ☐ Concrete 4 ☐ Open tote 5 ☐ Ptestic		From From	To Male	rial and type (Cemer		
z 🗆 Sally 🐇 🗆	] Minerals 24-25	1.] Steet <sup>26</sup> 2.∏ Galvenized		77-31 <b>7</b> <sup>10-2</sup>	<u>22</u>	BEN SI	EA2	
	] Şulphur 34 60 ] Minerala ] Gas	<ul> <li>□ Concrete</li> <li>↓ □ Open hole</li> <li>↓ □ Plasilic</li> </ul>		. 2619	30-32 80			
Pumping tast metilied 10	Pumping rate 11-				CATION OF 1	AFI I	-	
71 1 Pump 2 1 Bailer Static level Water level	Water levels during	M Hours O Minš		In diagram below show indicate north by arrow	v distances o		i and lo	t line.
U 1921 22:24	15 minutes 26 23 30 minutes 29 29				· N	el.	~	
UZ 6 100 30 1001	30 teet 30 fr	eet 30 feet 30 feet	6	NEY RO 19		BL4.	TAI	Neal
It flowing give rate GPM	<u> </u>	😣 🖌 Glear 🗆 Cloudy			<u></u>	12 4		- <u></u>
Pecommended pump #pe	pump setting	* Recommended 40-19 pump rate GPM			1V	Miles C SIM COE LOUN	0467	~64000
	L 64			F ·	Y4 3	SIMCOR	: ТУ	F
Water supply <sup>2</sup> Observation well	S C Abandoned, insufficient S C Abandoned, poor quality		W	,30	milt	LOGF	. 1	
<ul> <li>i i Testhole</li> <li>LJ Recharge was</li> </ul>	<ul> <li>2 1 Abandoned (Other)</li> <li>6</li></ul>			0				
WATER USE	າວ ທ ວຸ 🗇 Commercial	× ⊑:Noluse	ľ	2	TKAL	IS ENO	0	
2 D Stock 2 I I Irrigation 4 I.I Industrial	Cooling & air condition     Cooling & air condition	10 (7) Other		W.	HON	AT L	_/	
	Ŧ	-		3 1		X	ع EZ	2
ALE FHOD OF CONSTRUCT     VI Cable tool     2      D Rotary (conventional)	S ∐ Air percussion S ⊡ Air percussion S ⊡ Bering	<sup>9</sup> □ Deving <sup>10</sup> □ Digging		~		4	o Ft	
<ul> <li>□ Rotary (reverse)</li> <li>□ Rotary (air)</li> </ul>	2 ⊆1 Diamond 8 □ Jething	1: Other			5	2	236	377
Name of Well Contractor	ζΤ,	Welt Contractor's Licence No.	> Data		~ ~	v-s-Date received	500	002 <sup>64 64</sup>
MIGHTON'S WE				<sup>™</sup> <b>3.6</b>	02	FEB	(()	002
RRZ S	TAYNER	ONT WE TANK						
LALRY MIL	HTON	1-0/29		50°				
Signature of Technicing Confector	Mighte	Submission date day 20 mo 2 9 2-						
2 - MINISTRY OF	THE ENVIRONM					à	5 <b>0</b> 6 (07/0	0) Front Form 9

i

MIGHTONS WELL DRILLING LTD. GST #R103688255 Hwy. 26, 3 Miles North of Stayner R.R. #2, Stayner, Ontario Phone Wasaga Beach (705) 429-3500

CUSTOMER ORDER NUMBER	TELEPHONE	FAX		DATE 68/82	105
WAME				00/024	
DDRESS Cultin	annah -	Fral.	-		
пv (	PROVINCE		POST	AL CODE	
SOLD BY CASH CHEQUE	CHARGE DEBIT CARD	C.O.D. ON ACCT	MDSE. RET	D. PAID OUT	
QUANTITY	DESCRIPTION		PRICE	AMOUNT	
64 ×64 W.e	ll drilling	@ 32°	n ft	2048	ore.
Wellscree	~ 7×6"	X stor	2-		
fittings	instal	ad -		1600	5-53
shoe Verm	it proof is	Nell Car	2		
Benseal C	bracting of	develop	ing	400	ø
Fabrill	0		4		
2 H P Auto	purp 200		hes		
Complet	e int	eled		2100	50
PECIAL INSTRUCTIONS	no complet	E s	UBTOTAL	614-8	20
and the fin m	when custo	rer -	GST	430	36
eady with call	to contin in	date _	PST		+
II claims and refurned goods WVST beaccom	A IN PUL	, Ç	TOTAL	6 578	36
P	A	950	18-0	2.	
2051	zash	mil		ANK Y	οu
	and	inglu		venetorite to le	12.322

10 Keith Ave., Unit 302 Collingwood, ON L9Y 0W5 Tel: (705) 446-1330 Fax: (705) 446-3527 waterstorecollingwood@rogers.com www.collingwoodwaterstore.com

The Water Store



# SERVICE WORK ORDER

	RVICE CALL	TIME	. Ypin	D	ATE May 3	31/2 =
NAME			HOME TEL	#		10-
ADDRESS 200 Trails (Eral		5	WORK TEI	#		
CITY Colling wood			CELL #			
POSTAL CODE (/ EMAIL ADDRESS				TECHNICIA	N Mike	
EQUIPMENT TO BE SERVICED					1.1.1.0	
MAKE	MC	DEL				
MATERIALS SOLD		QUANTITY	EAC	н\$	TOTAL	<b>.</b> \$ ·
FAW TRIAT	En					
Tins- 142 215	j					
1.11 8.5 8.5						
11.1 = 3mm. 0						
1/~// Q						
5-0 0						
- Well Flow Rate Test		MATERIAL				
	10 11	LABOUR	CHARGES	\$	101	mas
10GPM + a	cellary	HST		\$	14	17
a second and the seco				\$	123	and the second se
	109				HST NO. 775	17
		TOTAL AM	OUNT DUE	÷→ \$_	102	
Vork Order Completed by X	Pa Pa	rts and Servi	ce received	x	Customer Signatu	re
PLEASE NOTE: Water quality and quantity may change over time. T changes in water. The seller warranties labour on this Work Order for	hese changes may effect the o	peration of recomp aks. Parts warran	mended equipr ties are for 90 d	ent. The seller ays unless othe	00040 <del>1</del> 0760340 (0.57649)	8175 
Credit Card #			-			
EXP	*ANY CREDIT TERM	S REQUIRED N	UST BE APP	ROVED PRIC	R TO WORK BEIN	IG DONE.
Signature	RECEIVED BY		-			
PLEASE LEAVE YELLO	OW COPY WITH CUST	OMER AFTER	WORK IS	COMPLETE		

10 Keith Ave., Unit 302 Collingwood, ON L9Y 0W5 Tel: (705) 446-1330 Fax: (705) 446-3527 waterstorecollingwood@rogers.com www.collingwoodwaterstore.com

The Water Store




# SERVICE WORK ORDER

	CE CALL	TIME 9:30	- 11:0	Dan	DATE Not	r 1/2	2
NAME			HOME TEL	. #			
ADDRL.			WORK TEL	. #			-
CITY Cillingiand And			CELL #		2		
POSTAL CODE EMAIL ADDRESS	1. (r)			TECHNIC	CIAN		
EQUIPMENT TO BE SERVICED							2
MAKE	MO	DEL					
MATERIALS SOLD		QUANTITY	EAC	and the second second		TOTAL \$	
SBID RL BULB		/	120	900		129	-
10 BOS FILTER		1	24	95	(	24	95
Cleaned sleeve					-		
Salt Sevel - good							
			-				
			1.1				
							·
	-	MATERIAL	CHARGES		\$	153	95
		LABOUR			s	10%	-
		HST ((c)/(list))			\$ \$	29.7	10:
	$\sim$ [				HST	NO. 7757591	37
1	9)	TOTAL AM	OUNT DUE	. →	\$	2971-	ट्
24				81 (1 <b>7</b> 8-)	11.000 men 1 <b>8</b> 92		
Nork Order Completed by X	18	rts and Servi			Custo	mer Signature	
PLEASE NOTE: Water quality and quantity may change over time. These ch changes in water. The seller warranties labour on this Work Order for a peri	anges may effect the or od of 60 days against le	eration of recom aks. Parts warran	mended equipr ties are for 90 d	ays why sa	eller cannot acc otherwise state	ept responsibility d by manufactur	/ for such e warranty
Credit Card #	METHOD OF PAYM			HEQUE	VISA	_м/с	DEBIT
EXP	ANY CREDIT TERM	S REQUIRED N	MUST BE APP	ROVED	PRIOR TO WO	ORK BEING DC	DNE.
Signature	RECEIVED BY						
PLEASE LEAVE YELLOW CO	OPY WITH CUSTO	MER AFTER	WORKIS	COMPL	ETE		
	ur senantise to Art Andre					1.	

		2	Kecept taker	n .	
A Calebra	Permi	t Applicat	lion	Fee rcpt. n	080 012 134 36. July 31.01 . 96279.
	Registered Owne		Owner's Authorized Age	ent	Sewage System Installer
2 - - -		2	Janalco LTD General Deliver Thurwbuky On Postal Code NOH 2PO Home Phone Bus. P	Эт У	Janatico LTD General Deliveny Thornby License no: 1998-1649 Expiry Date: 2003 Business Phone
L			59-599-7032 705-444	4-7102	705+444-7102
Town Street Name	of <u>Caling wood</u> of <u>Caling wood</u> and <u>Trails</u> ssessment Roll Number:		hipof Ws Kawsigg XIII Street No. (911)		zoning: Residentia (ESter
Is this proje	ect under the ONTARIO NEW	HOME WARRAN	NTY PROGRAM? [] Y	Yes	[v] No
Is the prope	erty within the control of a CO	ONSERVATION /	AUTHORITY? [] Y	Yes	IVI NO 200
Directions t	END Stre Lemo	et ha i a sold	signi	- w c	in right go to Truls
THE BUI	LDING TO BE SERVICED HA				
2	Plumbing Fixtures Toilets	FUV_ (	No. of separate dwelling unit	ts	Water supply is:
4	Tubs / Showers	1.5	Total number of bedrooms FINISHED FLOOR AREA in sq. M [ ] or	80 H L 2	[] Existing or
	Hot Tubs / Spas	1.5	Basement (DY		and comes from the following source:
Z	Washbasins	1.5	First floor 5200050 A		[ ] Municipal / Communal supply
1	Kitchen Sinks	1.5	Second floor		[ Drilled well
_1	Automatic Dishwashers	0/1.5	Third floor		[ ] Dug or bored well
- ,	Garbage Grinders	Ne in	Other		[ ] Sandpoint well
1	Laundry Tubs	1.5	Other TOTAL AREA ZMAD CO FT		[ ] Lake, river or stream
Check box	if there is a water filter [ ]	A 2 PHONE STORAGE SALES	TOTAL AREA 2000 59 FT er softener [] that backwashes into the	sewer lines	[ ] Other (describe)
Proposed	Septic System: class 5.		4[ Yas: F.Her Bed	sewer mies.	
	You must provide 3 co		plete and detailed site plan. See "Proce	edures for C	Obtaining a Sewage System Permit"
r cardine	omply with the provisions of the nor approval of the plans and s responsibili	Municipal Buildin pecifications nor ty for carrying the	Inspections made by Simcoe County Health Unit work out in accordance with the Building Code &	ny changes. mode County E t inspectors du Act and the Re	Board of Health. I further agree that neither the granting of a iring work on the severe system shall callege me form
Permit	Granted [ ]	Granted	with attachments [🔨] U	noble to	grant seasons that is a
	ignature M	m	te, Simcoe Quarty District Health Unit	nable to	grant, reasons attached [ ] Date A-46 8/67
(March 01, 1999)		OFFICE COPY	WHITE OWNER'S COPY - YELLOW	BUILDING INSPE	CTOR'S COPY - PINK
4			- 		

SIMCOE COUNTY DISTRICT HEALTH UNIT Final Inspection Report	ss 4 <del>mo</del> h Bed Syst	em	Permit Number SP-17	
Municipality Courseson	Con	Twp Lt	Plan 397	Sub Lt i 🥣
Ownei	Ro	ll Number ㅎ 영	001213<136	
Date DE C 5/01 Installer JANAL	c o		Design Sewage Flow	1700 L/da
Water supplied from drilled well[ ] dug well[ $\chi$ ]	municipal/c	ommunal[]	other:	[ ]
Septic tank size 4500 litres made of	concrete[	plastic[ ] C	R	
Treatment Unit Make	Model		Capacity	
Absorption Trenches totalling lineal m	laid in ru	ns ofmea	ich	
Fed by gravity[x] pump[] Finished at gra	de[] or	finished	m above grade	
NSTALLED LAYOUT: as drawn below[/ as per a	approved site pi	ian[] site pla	an as amended[ ]	· · · · · · · · · · · · · · · · · · ·
DITCH	1			1
Swart	(Amores 62' 4' 1 1 1 1 2 2 2 1 9'	ι       27'ε·	A 25M2 LOADING ARCA ALLE KPANNE COMMET A ROAT 1080 AZ SILTHE BED 250 AZ	(4575 R2)
In star Dirillen WELL A MINIMUM SE 50' TO THE SOPTIL TRACK AND WO' TO THE FILTER RED MON LYDRA				
nspector Ages	3	 lr	DEC 5/01 spection Date	
March 01,1999)				



	_001 12:37	7 519-372-1882	PORTERS	BACE	0.000
	8/01 12:00	ବ	SIMCOF COUNTY HU		2/02
		1 B	10		
<u></u>	A Files P	od Svetem	×	NUMBER SP-17-C-01	34
Clas	ss 4 Filter B	eu System	3	NUMBER 31-11-C-01	
	8	PAVISE	> Aug e/0/		
		FEVIL	,,		
			the start attantice a nil	mn and nump chamber that is sized	ta
1	The plumbing will	be high enough to allo	w gravity flow, other wise a pol	mp and pump chamber that is sized tic tank / treatment unit and the leach	ing b
	deliver litre	s per 15 min. cycle wil	I be installed between the sept	tic tank / treatment unit and the leach	
		1	11. 715		
2	Totel "fixture units	" value for all dwelling	units: _ <u>Z/, 5</u>		
•	2019 - 10 - 10 <b>- 1</b> 0		; units: <u>3</u>	10	
3					
		area to all dwelling ut	nits: <u>185.8</u> sq. meters	5.	
4	Total tinisned floo	ralea il al uncialis -	in in its second		
5 <sup>`</sup>	Total dally design	sanilary sowago flows	1700 litras ner day_	·	
-	toral daily coolds.		£.,	K. – – – – – –	
0		ALAS INCOMPANY	ar Ignnu uis isuui amente of ees	e.c.a.a of the Ontario Rullaina Code	¢
	A Treatment Unit	This of users are at the		Poted Consellar	86 -
	Manufacturer.	· · · · · · · · · · · · · · · · · · ·	lodel:	Rated Capacity.	
			Z3. Z m <sup>2</sup> of filter medium	m	
7	Minimum Effective		too m² of filter mediu	n .	
	Minimum Base Ar Minimum Leachin	a Bed Fill Area	42.5 m² of leaching be	d fill	
				North of Clurt	
8	Benchmark estab	lished as <u>Lenter</u>	Line of ROAD	NOICH OF COME	
				the men allow / helow	
9	Leaching Bed Fill	Area will be excavated	to a maximum depth of O. 1	mm above / below	
	detterining most i in				
	honehmark / high	ast existing drade pero	IB SHE WON GISCHINGER -		
40	benchmark / high Clemose of	est existing grade before the second se	IB SHE WON GISCHINGER -		
10	honehmark / high	ast existing drade pero	IB SHE WON GISCHINGER -		<u>.</u>
10	benchmark / high Clemose of	ast existing drade pero	IB SHE WON GISCHINGER -	. <u></u>	<u>.</u>
	benchmark / high L Remove 02 Other:	est existing grade beig	ony).		
10 11	Other:	d Installer will call Heal	th Unit for Inspection of:		
	Other:	d installer will call Heal	th Unit for Inspection of:		
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	•
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	
11	Other: Owner or licensed Dest holes aft prepared site	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rted	
11	Other:	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	
1 <u>1</u> SI	Other:	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	
1 <u>1</u> SI	Other:	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	
1 <u>1</u> SI	Other:	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	
1 <u>1</u> SI	Other:	d Installer will call Heal er they are dug but before, graded and scarified	th Unit for Inspection of: fore any site preparation is stat but before any fill is placed	rtød	